

## TITAN 240/76 E



## IP20 CE

## MOTORIDUTTORI PER SERRANDE (ALBERO Ø 76)

MOTORÉDUCTEURS POUR RIDEAUX ROULANTS AVEC (ARBRE RIDEAU Ø 76)  
GEARMOTORS FOR ROLLING SHUTTERS (TUBE ROLLING Ø 76)  
MOTORREDUCTORES PARA CIERRES METÁLICOS (CIERRE METÁLICO Ø 76)

Accessori compatibili / Accessoires compatibles  
/ Compatible accessories / Accesorios compatibles



\*KIT F - COD. 1312151

ELETTROFRENO - ÉLECTROFREIN -  
ELECTROBRAKE - ELECTROFRENO.




\*CAVO DI ALIMENTAZIONE / POWER CABLE  
COD. 51260001

230V ~ 50 Hz / 60 Hz

\* Compresi con il motore (KIT F, Cavo di alimentazione) / \*Inclus avec motoréducteur (KIT F, Cable) / \*Included with gearmotor (KIT F, Cable) / \*Incluido con motorreductor (KIT F, Cable)

MODELLO MODELE - MODEL - MODELO	COPIA - (Nm) COUPLE - TORQUE - PAR MOTOR	FINECORSA (m) FIN DE COURSE - LIMIT SWITCH - FINAL DE CARRERA.	P - (W)	I - (A) INTENSITÉ ABSORBÉE - CONSUMPTION - INTESIDAD ABSORBIDA.	PESO - (Kg) POIDS - WEIGHT - PESO	SOLLEVAMENTO - (Kg) SOULÈVEMENT - LIFTING - LEVANTAMIENTO	ALBERO - (mm) ARBRE RIDEAU - TUBE ROLLING ÁRBOL PARA CIERRE METÁLICO	CORONA - (mm) COURONNE - PULLEY - CORONA
TITAN 240/76 1110240	210	6	630	2.7	9	180	Ø 76	Ø 240
TITAN 240/76 E 1110241	210	6	630	2.7	10	180	Ø 76	Ø 240

## TITAN 240/76 Super HT E



## IP20 CE

## MOTORIDUTTORI PER SERRANDE SUPER POTENTE CON 1 MOTORE (ALBERO Ø 76)

MOTORÉDUCTEURS POUR RIDEAUX ROULANTS, SUPER PUISSANT AVEC 1 MOTEUR. (ARBRE RIDEAU Ø 76).  
GEARMOTORS FOR ROLLING SHUTTERS, SUPER POWERFUL WITH MOTOR ONLY. (TUBE ROLLING Ø 76).  
MOTORREDUCTORES PARA CIERRES METÁLICOS, SÚPER PODEROSO CON UN SOLO MOTOR. (CIERRE METÁLICO Ø 76)

Accessori compatibili / Accessoires compatibles  
/ Compatible accessories / Accesorios compatibles



\*KIT PBM - COD. 1312152

ELETTROFRENO - ÉLECTROFREIN -  
ELECTROBRAKE - ELECTROFRENO.



\*CAVO DI ALIMENTAZIONE / POWER CABLE  
COD. 51260001

230V ~ 50 Hz / 60 Hz

\* Compresi con il motore (KIT PBM, Cavo di alimentazione) / \*Inclus avec motoréducteur (KIT PBM, Cable) / \*Included with gearmotor (KIT PBM, Cable) / \*Incluido con motorreductor (KIT PBM, Cable)

MODELLO MODELE - MODEL - MODELO	COPIA - (Nm) COUPLE - TORQUE - PAR MOTOR	FINECORSA (m) FIN DE COURSE - LIMIT SWITCH - FINAL DE CARRERA.	P - (W)	I - (A) INTENSITÉ ABSORBÉE - CONSUMPTION - INTESIDAD ABSORBIDA.	PESO - (Kg) POIDS - WEIGHT - PESO	SOLLEVAMENTO - (Kg) SOULÈVEMENT - LIFTING - LEVANTAMIENTO	ALBERO - (mm) ARBRE RIDEAU - TUBE ROLLING ÁRBOL PARA CIERRE METÁLICO	CORONA - (mm) COURONNE - PULLEY - CORONA
TITAN Super 240/76 1110480	290	6	670	2.9	9	250	Ø 76	Ø 240
TITAN Super 240/76 E 1110481	290	6	670	2.9	10	250	Ø 76	Ø 240

## TITAN 240/76 BME



## IP00 CE

## MOTORIDUTTORI PER SERRANDE CON 2 MOTORI (ALBERO Ø 76)

MOTORÉDUCTEURS POUR RIDEAUX ROULANTS AVEC 2 MOTEURS (ARBRE RIDEAU Ø 76)  
GEARMOTORS FOR ROLLING SHUTTERS WITH 2 MOTORS (TUBE ROLLING Ø 76)  
MOTORREDUCTORES PARA CIERRES METÁLICOS CON 2 MOTORES (CIERRE METÁLICO Ø 76)

Accessori compatibili / Accessoires compatibles  
/ Compatible accessories / Accesorios compatibles



\*KIT PBM - COD. 1312152

ELETTROFRENO - ÉLECTROFREIN -  
ELECTROBRAKE - ELECTROFRENO.



\*CAVO DI ALIMENTAZIONE / POWER CABLE  
COD. 51260002

230V ~ 50 Hz / 60 Hz

\* Compresi con il motore (KIT PBM, Cavo di alimentazione) / \*Inclus avec motoréducteur (KIT PBM, Cable) / \*Included with gearmotor (KIT PBM, Cable) / \*Incluido con motorreductor (KIT PBM, Cable)

MODELLO MODELE - MODEL - MODELO	COPIA - (Nm) COUPLE - TORQUE - PAR MOTOR	FINECORSA (m) FIN DE COURSE - LIMIT SWITCH - FINAL DE CARRERA.	P - (W)	I - (A) INTENSITÉ ABSORBÉE - CONSUMPTION - INTESIDAD ABSORBIDA.	PESO - (Kg) POIDS - WEIGHT - PESO	SOLLEVAMENTO - (Kg) SOULÈVEMENT - LIFTING - LEVANTAMIENTO	ALBERO - (mm) ARBRE RIDEAU - TUBE ROLLING ÁRBOL PARA CIERRE METÁLICO	CORONA - (mm) COURONNE - PULLEY - CORONA
TITAN 240/76 BM 1110310	420	6	1260	5.4	16	360	Ø 76	Ø 240
TITAN 240/76 BME 1110311	400	6	1260	5.4	17	360	Ø 76	Ø 240

## UNITITAN E HR



with electrobrake

IP20 CE

## MOTORIDUTTORI PER SERRANDE

MOTORÉDUCTEURS POUR RIDEAUX ROULANTS.  
GEARMOTORS FOR ROLLING SHUTTERS.  
MOTORREDUCTORES PARA CIERRES METÁLICOS.

Accessori compatibili / Accessoires compatibles  
/ Compatible accessories / Accesorios compatibles



MANICOTTI / ADAPTERS FOR PIPE  
Ø 33 COD. 51160003  
Ø 42 COD. 51160004  
Ø 48 COD. 51160005



\*KIT F - COD. 1312151  
ELETTROFRENO - ÉLECTROFREIN -  
ELECTROBRAKE - ELECTROFRENO.



\*FASCIA Ø 220 - COD.51160006  
ADAPTERS Ø 220 - ADAPTATEUR Ø 220



\*CAVO DI ALIMENTAZIONE / POWER CABLE  
COD. 51160001

230V ~ 50 Hz / 60 Hz

\* Compresi con il motore (KIT F, Cavo di alimentazione, Fascia ø 220) / \*Inclus avec motoréducteur (KIT F, Cable, Fascia ø 220) / \*Included with gearmotor (KIT F, Cable, Fascia ø 220) / \*Incluido con motorreductor (KIT F, Cable, Fascia ø 220)

MODELLO MODELE - MODEL - MODELO	COPPIA - (Nm) COUPLE - TORQUE - PAR MOTOR	FINECORSA (m) FIN DE COURSE - LIMIT SWITCH - FINAL DE CARRERA.	P - (W)	I - (A) INTENSITÉ ABSORBÉE - CONSUMPTION - INTENSIDAD ABSORBIDA.	PESO - (Kg) POIDS - WEIGHT - PESO	SOLLEVAMENTO - (Kg) SOULÈVEMENT - LIFTING - LEVANTAMIENTO	ALBERO - (mm) ARBRE RIDEAU - TUBE ROLLING ÁRBOL PARA CIERRE METÁLICO	CORONA - (mm) COURONNE - PULLEY - CORONA
UNITITAN HR 1112140	170	6	630	2.7	7	170	ø 60	ø 200
UNITITAN E HR 1112141	170	6	630	2.7	8	170	ø 60	ø 200

UNITITAN <sup>Super</sup> HT E

with electrobrake

IP20 CE

MOTORIDUTTORI PER SERRANDE,  
SUPER POTENTE CON 1 MOTORE

MOTORÉDUCTEURS POUR RIDEAUX ROULANTS,  
SUPER PUISSANT AVEC 1 MOTEUR.  
GEARMOTORS FOR ROLLING SHUTTERS,  
SUPER POWERFUL WITH MOTOR ONLY.  
MOTORREDUCTORES PARA CIERRES METÁLICOS,  
SÚPER PODEROSO CON UN SOLO MOTOR.

Accessori compatibili / Accessoires compatibles  
/ Compatible accessories / Accesorios compatibles



\*KIT PBM - COD. 1312152  
ELETTROFRENO - ÉLECTROFREIN -  
ELECTROBRAKE - ELECTROFRENO.



\*FASCIA Ø 220 - COD.51160006  
ADAPTERS Ø 220 - ADAPTATEUR Ø 220



\*CAVO DI ALIMENTAZIONE / POWER CABLE  
COD. 51260001

230V ~ 50 Hz / 60 Hz

\* Compresi con il motore (KIT PBM, Cavo di alimentazione, Fascia ø 220) / \*Inclus avec motoréducteur (KIT PBM, Cable, Fascia ø 220) / \*Included with gearmotor (KIT PBM, Cable, Fascia ø 220) / \*Incluido con motorreductor (KIT PBM, Cable, Fascia ø 220)

MODELLO MODELE - MODEL - MODELO	COPPIA - (Nm) COUPLE - TORQUE - PAR MOTOR	FINECORSA (m) FIN DE COURSE - LIMIT SWITCH - FINAL DE CARRERA.	P - (W)	I - (A) INTENSITÉ ABSORBÉE - CONSUMPTION - INTENSIDAD ABSORBIDA.	PESO - (Kg) POIDS - WEIGHT - PESO	SOLLEVAMENTO - (Kg) SOULÈVEMENT - LIFTING - LEVANTAMIENTO	ALBERO - (mm) ARBRE RIDEAU - TUBE ROLLING ÁRBOL PARA CIERRE METÁLICO	CORONA - (mm) COURONNE - PULLEY - CORONA
UNITITAN <sup>Super</sup> HT 1111840	260	6	670	2.9	8	260	ø 60	ø 200
UNITITAN <sup>Super</sup> HT E 1111841	260	6	670	2.9	9	260	ø 60	ø 200

## TITAN 240/76 E



## IP20 CE

## MOTORIDUTTORI PER SERRANDE (ALBERO Ø 76)

MOTORÉDUCTEURS POUR RIDEAUX ROULANTS AVEC (ARBRE RIDEAU Ø 76)  
GEARMOTORS FOR ROLLING SHUTTERS (TUBE ROLLING Ø 76)  
MOTORREDUCTORES PARA CIERRES METÁLICOS (CIERRE METÁLICO Ø 76)

Accessori compatibili / Accessoires compatibles  
/ Compatible accessories / Accesorios compatibles



\*KIT F - COD. 1312151  
ELETTOFRENO - ÉLECTROFREIN -  
ELECTROBRAKE - ELECTROFRENO.



\*CAVO DI ALIMENTAZIONE / POWER CABLE  
COD. 51260001

230V ~ 50 Hz / 60 Hz

\* Compresi con il motore (KIT F, Cavo di alimentazione) / \*Inclus avec motoréducteur (KIT F, Cable) / \*Included with gearmotor (KIT F, Cable) / \*Incluido con motorreductor (KIT F, Cable)

MODELLO MODELE - MODEL - MODELO	COPPIA - (Nm) COUPLE - TORQUE - PAR MOTOR	FINECORSO (m) FIN DE COURSE - LIMIT SWITCH - FINAL DE CARRERA.	P - (W)	I - (A) INTENSITÉ ABSORBÉE - CONSUMPTION - INTENSIDAD ABSORBIDA.	PESO - (Kg) POIDS - WEIGHT - PESO	SOLLEVAMENTO - (Kg) SOULÈVEMENT - LIFTING - LEVANTAMIENTO	ALBERO - (mm) ARBRE RIDEAU - TUBE ROLLING ARBOL PARA CIERRE METÁLICO	CORONA - (mm) COURONNE - PULLEY - CORONA
TITAN 240/76 1110240	210	6	630	2.7	9	180	Ø 76	Ø 240
TITAN 240/76 E 1110241	210	6	630	2.7	10	180	Ø 76	Ø 240

## TITAN 240/76 Super HT E



## IP20 CE

## MOTORIDUTTORI PER SERRANDE SUPER POTENTE CON 1 MOTORE (ALBERO Ø 76)

MOTORÉDUCTEURS POUR RIDEAUX ROULANTS, SUPER PUISSANT AVEC 1 MOTEUR. (ARBRE RIDEAU Ø 76).  
GEARMOTORS FOR ROLLING SHUTTERS, SUPER POWERFUL WITH MOTOR ONLY. (TUBE ROLLING Ø 76).  
MOTORREDUCTORES PARA CIERRES METÁLICOS, SÚPER PODEROSO CON UN SOLO MOTOR. (CIERRE METÁLICO Ø 76)

Accessori compatibili / Accessoires compatibles  
/ Compatible accessories / Accesorios compatibles



\*KIT PBM - COD. 1312152  
ELETTOFRENO - ÉLECTROFREIN -  
ELECTROBRAKE - ELECTROFRENO.



\*CAVO DI ALIMENTAZIONE / POWER CABLE  
COD. 51260001

230V ~ 50 Hz / 60 Hz

\* Compresi con il motore (KIT PBM, Cavo di alimentazione) / \*Inclus avec motoréducteur (KIT PBM, Cable) / \*Included with gearmotor (KIT PBM, Cable) / \*Incluido con motorreductor (KIT PBM, Cable)

MODELLO MODELE - MODEL - MODELO	COPPIA - (Nm) COUPLE - TORQUE - PAR MOTOR	FINECORSO (m) FIN DE COURSE - LIMIT SWITCH - FINAL DE CARRERA.	P - (W)	I - (A) INTENSITÉ ABSORBÉE - CONSUMPTION - INTENSIDAD ABSORBIDA.	PESO - (Kg) POIDS - WEIGHT - PESO	SOLLEVAMENTO - (Kg) SOULÈVEMENT - LIFTING - LEVANTAMIENTO	ALBERO - (mm) ARBRE RIDEAU - TUBE ROLLING ARBOL PARA CIERRE METÁLICO	CORONA - (mm) COURONNE - PULLEY - CORONA
TITAN Super 240/76 1110480	290	6	670	2.9	9	250	Ø 76	Ø 240
TITAN Super 240/76 E 1110481	290	6	670	2.9	10	250	Ø 76	Ø 240

## TITAN 240/76 BME



## IP00 CE

## MOTORIDUTTORI PER SERRANDE CON 2 MOTORI (ALBERO Ø 76)

MOTORÉDUCTEURS POUR RIDEAUX ROULANTS AVEC 2 MOTEURS (ARBRE RIDEAU Ø 76)  
GEARMOTORS FOR ROLLING SHUTTERS WITH 2 MOTORS (TUBE ROLLING Ø 76)  
MOTORREDUCTORES PARA CIERRES METÁLICOS CON 2 MOTORES (CIERRE METÁLICO Ø 76)

Accessori compatibili / Accessoires compatibles  
/ Compatible accessories / Accesorios compatibles



\*KIT PBM - COD. 1312152  
ELETTOFRENO - ÉLECTROFREIN -  
ELECTROBRAKE - ELECTROFRENO.



\*CAVO DI ALIMENTAZIONE / POWER CABLE  
COD. 51260002

230V ~ 50 Hz / 60 Hz

\* Compresi con il motore (KIT PBM, Cavo di alimentazione) / \*Inclus avec motoréducteur (KIT PBM, Cable) / \*Included with gearmotor (KIT PBM, Cable) / \*Incluido con motorreductor (KIT PBM, Cable)

MODELLO MODELE - MODEL - MODELO	COPPIA - (Nm) COUPLE - TORQUE - PAR MOTOR	FINECORSO (m) FIN DE COURSE - LIMIT SWITCH - FINAL DE CARRERA.	P - (W)	I - (A) INTENSITÉ ABSORBÉE - CONSUMPTION - INTENSIDAD ABSORBIDA.	PESO - (Kg) POIDS - WEIGHT - PESO	SOLLEVAMENTO - (Kg) SOULÈVEMENT - LIFTING - LEVANTAMIENTO	ALBERO - (mm) ARBRE RIDEAU - TUBE ROLLING ARBOL PARA CIERRE METÁLICO	CORONA - (mm) COURONNE - PULLEY - CORONA
TITAN 240/76 BM 1110310	420	6	1260	5.4	16	360	Ø 76	Ø 240
TITAN 240/76 BME 1110311	400	6	1260	5.4	17	360	Ø 76	Ø 240